

# **ACTA METALLURGICA** **CONTENTS OF VOLUME 36**

## NUMBER 1

L. Karlsson, H. Nordén and H. Odelius	1	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—I. Large scale segregation behaviour
L. Karlsson and H. Nordén	13	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—II. Fine scale segregation behaviour
L. Karlsson	25	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—III. Computer simulations
L. Karlsson and H. Nordén	35	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—IV. Precipitation behaviour and distribution of elements at grain boundaries
C. S. Pande, R. A. Masumura and Y. T. Chou	49	Shielding of crack tips by inclined pileups of dislocations
H. Eichelkraut, G. Abbruzzese and K. Lücke	55	A theory of texture controlled grain growth—II. Numerical and analytical treatment of grain growth in the presence of two texture components
W. Lojkowski, H. Gleiter and R. Maurer	69	Low energy grain boundaries in silver and copper close to the melting point
P. S. Follansbee and U. F. Kocks	81	A constitutive description of the deformation of copper based on the use of the mechanical threshold stress as an internal state variable
G. S. Hillier, C. M. F. Rae and H. K. D. H. Bhadeshia	95	Extrinsic and intrinsic nodes in the gamma prime phase of a single crystal superalloy
D. S. Shih, I. M. Robertson and H. K. Birnbaum	111	Hydrogen embrittlement of $\alpha$ titanium: <i>in situ</i> TEM studies
D. Banerjee, C. G. Shelton, B. Ralph and J. C. Williams	125	A resolution of the interface phase problem in titanium alloys
G. M. Raynaud and P. Guyot	143	Coherent precipitation effect on thermo-power of Al-Cu alloys
R. Kesri et S. Hamar-Thibault	149	Structures ordonnées à longue distance dans les carbures MC dans les fontes
Gao Wei and B. Cantor	167	The oxidation behaviour of amorphous alloy $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{14}\text{B}_6$

# **ACTA METALLURGICA** **CONTENTS OF VOLUME 36**

## NUMBER 1

L. Karlsson, H. Nordén and H. Odelius	1	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—I. Large scale segregation behaviour
L. Karlsson and H. Nordén	13	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—II. Fine scale segregation behaviour
L. Karlsson	25	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—III. Computer simulations
L. Karlsson and H. Nordén	35	Overview No. 63: Non-equilibrium grain boundary segregation of boron in austenitic stainless steel—IV. Precipitation behaviour and distribution of elements at grain boundaries
C. S. Pande, R. A. Masumura and Y. T. Chou	49	Shielding of crack tips by inclined pileups of dislocations
H. Eichelkraut, G. Abbruzzese and K. Lücke	55	A theory of texture controlled grain growth—II. Numerical and analytical treatment of grain growth in the presence of two texture components
W. Lojkowski, H. Gleiter and R. Maurer	69	Low energy grain boundaries in silver and copper close to the melting point
P. S. Follansbee and U. F. Kocks	81	A constitutive description of the deformation of copper based on the use of the mechanical threshold stress as an internal state variable
G. S. Hillier, C. M. F. Rae and H. K. D. H. Bhadeshia	95	Extrinsic and intrinsic nodes in the gamma prime phase of a single crystal superalloy
D. S. Shih, I. M. Robertson and H. K. Birnbaum	111	Hydrogen embrittlement of $\alpha$ titanium: <i>in situ</i> TEM studies
D. Banerjee, C. G. Shelton, B. Ralph and J. C. Williams	125	A resolution of the interface phase problem in titanium alloys
G. M. Raynaud and P. Guyot	143	Coherent precipitation effect on thermo-power of Al-Cu alloys
R. Kesri et S. Hamar-Thibault	149	Structures ordonnées à longue distance dans les carbures MC dans les fontes
Gao Wei and B. Cantor	167	The oxidation behaviour of amorphous alloy $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{14}\text{B}_6$

S. Miyazaki and C. M. Wayman	181	The R-phase transition and associated shape memory mechanism in Ti-Ni single crystals
K. S. Chan and J. Lankford	193	The role of microstructural dissimilitude in fatigue and fracture of small cracks
P. W. Voorhees, G. B. McFadden, R. F. Boisvert and D. I. Meiron	207	Numerical simulation of morphological development during Ostwald ripening
L. C. De Jonge and M. N. Rahaman	223	Sintering stress of homogeneous and heterogeneous powder compacts
<i>Announcement</i>	i	
<i>Corrigendum</i>	ii	

## NUMBER 2

P. Gilormini, B. Bacroix and J. J. Jonas	231	Overview No. 64: Theoretical analyses of $\langle 111 \rangle$ pencil glide in b.c.c. crystals
R. A. Carolan and R. G. Faulkner	257	Grain boundary precipitation of $M_{23}C_6$ in an austenitic steel
V. Randle, B. Ralph and D. Dingley	267	The relationship between microtexture and grain boundary parameters
L. G. Fritzemeier and J. K. Tien	275	The cyclic stress-strain behavior of nickel-base superalloys—I. Polycrystals
L. G. Fritzemeier and J. K. Tien	283	The cyclic stress-strain behavior of nickel-base superalloys—II. Single crystals
G. B. Stachowiak and P. G. McCormick	291	Shape memory behaviour associated with the R and martensitic transformations in a NiTi alloy
L. S. Chumbley, B. C. Muddle and H. L. Fraser	299	The crystallography of the precipitation of $Ti_3Si_3$ in Ti-Si alloys
M. Dollar, I. M. Bernstein and A. W. Thompson	311	Influence of deformation substructure on flow and fracture of fully pearlitic steel
E. S. K. Menon, M. R. Plichta and H. I. Aaronson	321	Some aspects of the massive transformation
M. Wada, Y. Yuchi, R. Uemori, M. Tanino and T. Mori	333	FIM study of f.c.c. iron particles in Cu
H. Dève, S. Harren, C. McCullough and R. J. Asaro	341	Micro- and macroscopic aspects of shear band formation in internally nitrided single crystals of Fe-Ti-Mn alloys

C. Sigli and J. M. Sanchez	367	Electronic-structure calculation of ordering and segregation energies of transition metal alloys
A. Milchev, D. W. Heermann and K. Binder	377	Monte-Carlo simulation of the Cahn-Hilliard model of spinodal decomposition
M. Yoshihara and R. B. McLellan	385	The thermodynamics of hydrogen in palladium-yttrium solid solutions
E. R. Bradley and D. H. Polonis	393	Substructure strengthening in Fe-V-Ni alloys
H. Makita, S. Hanada and O. Izumi	403	Recrystallization in cold-rolled pure nickel
U. D. Kulkarni and S. Banerjee	413	Phase separation during the early stages of ordering in Ni <sub>3</sub> Mo
P. Bowen and C. A. Hipsley	425	High temperature intergranular crack growth in martensitic 2½Cr-1Mo steel
C. A. Hipsley, D. J. Buttle and C. B. Scruby	441	A study of the dynamics of high temperature brittle intergranular fracture by acoustic emission
G. Z. Ganeyev and T. E. Turkebaev	453	The dislocation void interaction
S. Turenne, G. L'Espérance and J. I. Dickson	459	The orientations of dipolar dislocation structures produced by the cyclic deformation of b.c.c. metals

#### NUMBER 3

H. V. Atkinson	469	Overview No. 65: Theories of normal grain growth in pure single phase systems
I. Baker, B. Huang and E. M. Schulson	493	The effect of boron on the lattice properties of Ni <sub>3</sub> Al
J. Foct, P. Rochegude and A. Hendry	501	Low temperature ageing of Fe-N austenite
A. P. Woodfield, P. J. Postans, M. H. Loretto and R. E. Smallman	507	The effect of long-term high temperature exposure on the structure and properties of the titanium alloy Ti 5331S
M. D. Thouless and A. G. Evans	517	Effects of pull-out on the mechanical properties of ceramic-matrix composites
N. Furushiro, M. Toyoda and S. Hori	523	Strain rate dependence of internal and effective stresses in superplastic deformation
R. B. McLellan and C. Ko	531	The diffusion of carbon in austenite
B. W. Bennett and H. W. Pickering	539	A finite difference model for the kinetics of sensitization

T. Mohri, K. Terakura, T. Oguchi and K. Watanabe	547	First principles calculation of thermodynamic properties of noble-metal alloys
R. F. Cook and D. R. Clarke	555	Fracture stability, R-curves and strength variability
C. Schiller and D. Walgraef	563	Numerical simulation of persistent slip band formation
R. Gerling, F. P. Schimansky and R. Wagner	575	Two-stage embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ resulting from a loss of free volume and phase separation
J. M. Duva, M. A. Daeubler, E. A. Starke Jr and G. Luetjering	585	Large shearable particles lead to coarse slip in particle reinforced alloys
Y. M. Koo, J. B. Cohen, S. M. Shapiro and L. E. Tanner	591	As-quenched Cu-10.9at.% Be
Sung-Man Lee and Jai-Young Lee	605	A study of the hydrogen distributions in amorphous $\text{Pd}_{40}\text{Si}_{20}$ by thermal evolution of hydrogen
D. Benkirat, P. Merle and R. Borrelly	613	Effects of precipitation on the thermoelectric power of iron-carbon alloys
D. Schmid, V. Behrens and Th. Hehenkamp	621	Thermodynamic investigations of solid $\alpha$ -silver-arsenic and -bismuth alloys
I. Orgzall and B. Lorenz	627	Computer simulation of cluster-size distributions in nucleation and growth processes
A. Sato, Sho-ichi Katsuta and Masaharu Kato	633	Stress aging of a Cu-10Ni-6Sn spinodal alloy
K. H. Lee, K. Hiraga, D. Shindo and M. Hirabayashi	641	High resolution electron microscopic study of the ordering processes in $\text{Ni}_4\text{Mo}$ alloy
K. Sieradzki, G. J. Dienes, A. Paskin and B. Massoumzadeh	651	Atomistics of crack propagation
Y. Limoge and G. Brebec	665	Relation between viscosity and diffusion in amorphous metallic alloys
D. Schwartz, P. D. Bristowe and V. Vitek	675	Dislocation structure and energy of high angle [001] twist boundaries: a computer simulation study
H. J. Fecht	689	Lock-in structures obtained in Ag/NaCl and Au/MgO interfaces at elevated temperatures
Ho Kyu Kang, S. Hackney and D. N. Yoon	695	Migration of liquid film and grain boundary in Mo-Ni induced by W diffusion
A. Kar and J. Mazumder	701	One-dimensional finite-medium diffusion model for extended solid solution in laser cladding of Hf on nickel

- |                                                            |     |                                                                                                                                  |
|------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------|
| D. J. Powell, R. Pilkington and<br>D. A. Miller            | 713 | The precipitation characteristics of 20% Cr/25% Ni-Nb stabilised stainless steel                                                 |
| V. K. Kabra, D. Pandey and<br>S. Lele                      | 725 | On the characterization of basal plane stacking faults in N9R and N18R martensites                                               |
| A. Menai, J. Bernardini and<br>G. Moya                     | 735 | Kinetics of silver precipitation in dilute Pb(Ag) alloys                                                                         |
| B. Ladna and H. K. Birnbaum                                | 745 | Surface and grain boundary segregation of sulfur and boron in nickel                                                             |
| A. Kimura and<br>H. K. Birnbaum                            | 757 | Hydrogen induced grain boundary fracture in high purity nickel and its alloys—enhanced hydrogen diffusion along grain boundaries |
| H. Amenouz-Badrour,<br>G. Moya and J. Bernardini           | 767 | Bulk diffusion and solubility of silver and nickel in lead, lead-silver and lead-nickel solid solutions                          |
| T. H. Chuang,<br>R. A. Fournelle,<br>W. Gust and B. Predel | 775 | Discontinuous coarsening of discontinuous precipitate in a Ni-7.5 at.% In alloy                                                  |
| H. J. Lee and H. I. Aaronson                               | 787 | Surface relief effects associated with proeutectoid $\alpha$ plates in a Ti-7.15 wt% Cr alloy                                    |

#### NUMBER 4

- |                                                                              |     |                                                                                                                            |
|------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------|
| S. J. Thorpe, B. Ramaswami<br>and K. T. Aust                                 | 795 | Crystallization behaviour of Metglass 2826A by isochronal and isothermal annealing                                         |
| C. P. Chang and<br>M. H. Loretto                                             | 805 | Diffusion-induced dislocations in RSP Al-Mo                                                                                |
| W. Ishikawa, K. Hayashi,<br>H. Matsuda, M. Hayakawa,<br>Y. Ochiai and K. Aso | 811 | Density of Co-Fe-Ta-B amorphous alloys                                                                                     |
| H. F. Fischmeister, S. Karagöz<br>and H. O. Andrén                           | 817 | An atom probe study of secondary hardening in high speed steels                                                            |
| M. L. Nó, C. Esnouf,<br>J. San Juan and G. Fantozzi                          | 827 | Internal friction at medium temperature in high purity aluminium and its relation with the microstructure—I                |
| M. L. Nó, C. Esnouf,<br>J. San Juan and G. Fantozzi                          | 837 | Internal friction at medium temperature in high purity aluminium and its relation with the microstructure—II               |
| M. Sundararaman,<br>P. Mukhopadhyay and<br>S. Banerjee                       | 847 | Deformation behaviour of $\gamma''$ strengthened Inconel 718                                                               |
| U. Schlagowski, O. Kanert,<br>J. Th. M. De Hosson and<br>G. Boom             | 865 | Solution hardening in aluminium-magnesium alloys: a nuclear magnetic resonance and transmission electron microscopic study |



- |                                                                                     |      |                                                                                                                                              |
|-------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------|
| D. Banerjee, A. K. Gogia,<br>T. K. Nandi and V. A. Joshi                            | 871  | A new ordered orthorhombic phase in a Ti <sub>3</sub> Al-Nb alloy                                                                            |
| B. Bergman, N. Lange and<br>J. Ågren                                                | 883  | On diffusion induced recrystallization of NiO                                                                                                |
| L. S. Sigl and<br>H. F. Fischmeister                                                | 887  | On the fracture toughness of cemented carbides                                                                                               |
| H. Okuda, K. Osamura,<br>H. Hashizume and<br>Y. Amemiya                             | 899  | Dynamical structure change during reversion above zone solvus in Al-Zn binary alloys                                                         |
| J. Glazer and J. W. Morris Jr                                                       | 907  | The effect of the precipitate size distribution on the aging curve of order hardening alloys                                                 |
| R. Najafabadi and G. Kalonji                                                        | 917  | Mechanical stability criteria for interatomic potential functions used in computer simulations of materials                                  |
| M. A. Meyers and S. L. Wang                                                         | 925  | An improved method for shock consolidation of powders                                                                                        |
| P. R. Subramanian,<br>T. B. Massalski and<br>D. E. Laughlin                         | 937  | Thermodynamic aspects of massive transformations in the Cu-Ga and Cu-Zn systems                                                              |
| L. S. Sigl, P. A. Mataga,<br>B. J. Dalgleish,<br>R. M. McMeeking and<br>A. G. Evans | 945  | On the toughness of brittle materials reinforced with a ductile phase                                                                        |
| L. R. F. Rose and M. V. Swain                                                       | 955  | Transformation zone shape in ceria-partially-stabilized zirconia                                                                             |
| T. Kawabata, Y. Takezono,<br>T. Kanai and O. Izumi                                  | 963  | Bend tests and fracture mechanism of TiAl single crystals at 293-1073 K                                                                      |
| I. Ansara, B. Sundman and<br>P. Willemin                                            | 977  | Thermodynamic modeling of ordered phases in the Ni-Al system                                                                                 |
| W. Skrotzki, H. Wendt,<br>C. B. Carter and<br>D. L. Kohlstedt                       | 983  | The relation between the structure and mechanical properties of a $\Sigma = 51$ tilt boundary in germanium                                   |
| M. Tacikowski,<br>G. A. Osinkolu and<br>A. Kobylanski                               | 995  | The synergetic effect of aluminium nitride precipitation and sulphur segregation on hot intergranular brittleness of high purity iron alloys |
| S. K. Wu and C. M. Wayman                                                           | 1005 | Interstitial ordering of hydrogen and oxygen in TiNi alloys                                                                                  |
| J. G. Speer and<br>D. V. Edmonds                                                    | 1015 | An investigation of the $\gamma \rightarrow \alpha$ martensitic transformation in uranium alloys                                             |
| R. J. Tarento et G. Blaise                                                          | 1035 | Étude par analyse en profondeur de l'interdiffusion en couches minces du couple Al-Cu: cinétique de croissance des phases entre 200 et 300°C |

- |                                                        |      |                                                                                                                                                           |
|--------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| J. Rösler and E. Arzt                                  | 1043 | The kinetics of dislocation climb over hard particles—I. Climb without attractive particle-dislocation interaction                                        |
| E. Arzt and J. Rösler                                  | 1053 | The kinetics of dislocation climb over hard particles—II. Effects of an attractive particle-dislocation interaction                                       |
| R. J. Keller, T. E. Mitchell and A. H. Heuer           | 1061 | Plastic deformation in nonstoichiometric $\text{UO}_{2+x}$ single crystals—I. Deformation at low temperatures                                             |
| R. J. Keller, T. E. Mitchell and A. H. Heuer           | 1073 | Plastic deformation in nonstoichiometric $\text{UO}_{2+x}$ single crystals—II. Deformation at high temperatures                                           |
| Soon-Nam Chang and Marc André Meyers                   | 1085 | Martensitic transformation induced by a tensile stress pulse in Fe-22.5 wt% Ni-4 wt% Mn alloy                                                             |
| Prabir K. Chaudhury and Farghalli A. Mohamed           | 1099 | Effect of impurity content on superplastic flow in the Zn-22% Al alloy                                                                                    |
| J. L. Pelegrina, M. Chandrasekaran and M. S. Andrade   | 1111 | On the structural implication of some weak reflections in [100] zone electron diffraction patterns from $\beta'_1\text{Cu-Zn-Al}$ martensite              |
| O. A. Ruano, J. Wadsworth and O. D. Sherby             | 1117 | Harper-Dorn creep in pure metals                                                                                                                          |
| H. J. Lee, G. Spanos, G. J. Shiflet and H. I. Aaronson | 1129 | Mechanisms of the bainite (non-lamellar eutectoid) reaction and a fundamental distinction between the bainite and pearlite (lamellar eutectoid) reactions |
| H. J. Lee and H. I. Aaronson                           | 1141 | Morphology, crystallography, growth kinetics and mechanism of bainite nodules in a hypereutectoid Ti-25% wt% Cr alloy                                     |
| H. J. Lee and H. I. Aaronson                           | 1155 | Re-examination of a critical experiment on conditions for formation of bainite and pearlite                                                               |
| M. A. Eshelman, V. Seetharaman and R. Trivedi          | 1165 | Cellular spacings—I. Steady-state growth                                                                                                                  |
| V. Seetharaman, M. A. Eshelman and R. Trivedi          | 1175 | Cellular spacings—II. Dynamical studies                                                                                                                   |
| M. A. Morris and D. G. Morris                          | 1187 | An analysis of the thermal and mechanical stability of rapidly solidified Cu-Mn-B alloys                                                                  |

#### NUMBER 5

- |                                                    |      |                                                                                       |
|----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| W. A. Spitzig, R. E. Smelser and O. Richmond       | 1201 | The evolution of damage and fracture in iron compacts with various initial porosities |
| D. Teirlinck, F. Zok, J. D. Embury and M. F. Ashby | 1213 | Fracture mechanism maps in stress space                                               |



- |                                                                            |      |                                                                                                                                                               |
|----------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| S. J. Hales and T. R. McNelley                                             | 1229 | Microstructural evolution by continuous recrystallization in a superplastic Al-Mg alloy                                                                       |
| M. Takeyama and C. T. Liu                                                  | 1241 | Effects of grain size and test temperature on ductility and fracture behavior of a B-doped Ni <sub>3</sub> Al alloy                                           |
| Tsong-Pyng Perng and C. J. Altstetter                                      | 1251 | Effects of water vapor and hydrogen sulfide on hydrogen permeation in stainless steels                                                                        |
| C. C. Wojcik, K. S. Chan and D. A. Koss                                    | 1261 | Stage I fatigue crack propagation in a titanium alloy                                                                                                         |
| K. Hoshino, S. J. Rothman and R. S. Averback                               | 1271 | Tracer diffusion in pure and boron-doped Ni <sub>3</sub> Al                                                                                                   |
| B. Pieraggi and R. A. Rapp                                                 | 1281 | Stress generation and vacancy annihilation during scale growth limited by cation-vacancy diffusion                                                            |
| A. P. Sutton                                                               | 1291 | Irrational tilt grain boundaries as one-dimensional quasicrystals                                                                                             |
| H. S. Hu, M. D. Thouless and A. G. Evans                                   | 1301 | The decohesion of thin films from brittle substrates                                                                                                          |
| D. F. Lahrman, R. D. Field, R. Darolia and H. L. Fraser                    | 1309 | Investigation of techniques for measuring lattice mismatch in a rhenium containing nickel base superalloy                                                     |
| M. Audier and P. Guyot                                                     | 1321 | An approach of the structure of icosahedral Al <sub>6</sub> CuLi <sub>3</sub> by multiple twinning of a rhombohedral crystal                                  |
| M. Zhu, D. Z. Yang and K. H. Kuo                                           | 1329 | Orientation relationships between martensite and parent phase and the mechanism of twin relationships among variants                                          |
| T. Sato, T. Murakami, Y. Amemiya, H. Hashizume and T. Takahashi            | 1335 | Determination of structure and formation kinetics of early stage GP zones in an Al-1.7 at.% Cu alloy by small-angle X-ray scattering of synchrotron radiation |
| K. Adachi, J. Perkins and C. M. Wayman                                     | 1343 | The crystallography and boundary structure of interplate-group combinations of 18R martensite variants in Cu-Zn-Al shape memory alloys                        |
| B. Orlans-Joliet, B. Bacroix, F. Montheillet, J. H. Driver and J. J. Jonas | 1365 | Yield surfaces of b.c.c. crystals for slip on the {110} <111> and {112} <111> systems                                                                         |
| G. E. Fuchs and N. S. Stoloff                                              | 1381 | Effects of temperature, ordering and composition on high cycle fatigue of polycrystalline Fe <sub>3</sub> Al                                                  |
| T. H. Alden                                                                | 1389 | Measurement of athermal strain rate in $\alpha$ -brass                                                                                                        |

#### NUMBER 6

- |                                 |      |                                                                                                |
|---------------------------------|------|------------------------------------------------------------------------------------------------|
| M. E. McIntyre and J. Woodhouse | 1397 | Overview No. 66: On measuring the elastic and damping constants of orthotropic sheet materials |
|---------------------------------|------|------------------------------------------------------------------------------------------------|

- |                                                            |      |                                                                                                                                            |
|------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------|
| S. M. Pickard and F. Guiv                                  | 1417 | Quench ageing and static strain ageing of cyclically pre-strained Fe-N-C alloys                                                            |
| M. Hida, E. Sukedai and H. Terauchi                        | 1429 | Microscopic approaches to isothermal transformation of incommensurate omega phase zones in Ti-20wt%Mo alloy studied by XDS, HREM and EXAFS |
| O. Vorren and N. Ryum                                      | 1443 | Cyclic deformation of Al single crystals: effect of the crystallographic orientation                                                       |
| S. Suresh and J. R. Brockenbrough                          | 1455 | Theory and experiments of fracture in cyclic compression: single phase ceramics transforming ceramics and ceramic composites               |
| E. Nembach, S. Schänzer, W. Schröer and K. Trinckauf       | 1471 | Hardening of nickel-base superalloys by high volume fractions of $\gamma'$ -precipitates                                                   |
| Ping Liu and G. L. Dunlop                                  | 1481 | Crystallographic orientation relationships for Al-Fe and Al-Fe-Si precipitates in aluminium                                                |
| T. M. Devine                                               | 1491 | Kinetics of sensitization and de-sensitization of duplex 308 stainless steel                                                               |
| P. E. Magnusen, E. M. Dubensky and D. A. Koss              | 1503 | The effect of void arrays on void linking during ductile fracture                                                                          |
| C. F. Yang, G. Sarkar and R. A. Fournelle                  | 1511 | Discontinuous precipitation and coarsening in Al-Zn alloys                                                                                 |
| Wu Jianxin, Jiang Bohong and T. Y. Hsu (Xu Zuyao)          | 1521 | Influence of grain size and ordering degree of the parent phase on $M_s$ in a CuZnAl alloy containing boron                                |
| N. Bouzid, C. Servant et G. Cizeron                        | 1527 | Évolutions structurales dans un alliage du type maraging au manganèse-cobalt-molybdène                                                     |
| A. Coujou, A. Beneteau et G. Alcouffe                      | 1537 | Méthode pour caractériser l'ordre des micromacles en relation avec les sources à partir d'observations <i>in situ</i>                      |
| D. Dimos, J. Wolfenstine and D. L. Kohlstedt               | 1543 | Kinetic demixing and decomposition of multicomponent oxides due to a nonhydrostatic stress                                                 |
| M. Kano, N. Kagawa, S. Koike, K. Furuya and T. Suzuki      | 1553 | Superdiffusion of hydrogen in vanadium measured by the permeation method                                                                   |
| A. G. Khachaturyan, S. V. Semenovskaya and J. W. Morris Jr | 1563 | Theoretical analysis of strain-induced shape changes in cubic precipitates during coarsening                                               |
| E. L. Maksimova, L. S. Shvindlerman and B. B. Straumal     | 1573 | Transformation of $\Sigma 17$ special tilt boundaries to general boundaries in tin                                                         |

- S. A. Court, J. T. Stanley, D. G. Konitzer, M. H. Loretto and H. L. Fraser 1585 The microstructure of rapidly solidified and heat-treated Ti alloys containing La
- D. G. Konitzer, J. P. A. Lofvander, S. A. Court, R. Kirchheim and H. L. Fraser 1595 Theoretical and experimental determinations of the thermal stability of rare earth oxide particles in rapidly solidified titanium alloys
- S. Ochiai and K. Osamura 1607 Influence of loading-unloading treatment at room temperature on critical current of bronze-processed Nb<sub>3</sub>Sn superconducting composites

*Announcement*

- i J. Herbert Holloman Award

NUMBER 7

- J. W. Christian and D. E. Laughlin 1617 Overview No. 67: The deformation twinning of superlattice structures derived from disordered b.c.c. or f.c.c. solid solutions
- F. Bley, Z. Amilius and S. Lefebvre 1643 Wave vector dependent kinetics of short-range ordering in <sup>62</sup>Ni<sub>0.765</sub>Fe<sub>0.235</sub>, studied by neutron diffuse scattering
- In-Gyu Park and Anthony W. Thompson 1653 Ductile fracture in spheroidized 1520 steel
- E. Halder and H. E. Exner 1665 Coarsening of secondary dendrite arms in a temperature gradient
- S. Nakahara 1669 Microscopic mechanism of the hydrogen effect on the ductility of electroless copper
- S. K. Sharma, S. Banerjee, Kuldeep and A. K. Jain 1683 Diffusion measurements in the Fe<sub>82</sub>B<sub>18</sub> amorphous alloy by Rutherford backscattering spectrometry
- T. Christman and S. Suresh 1691 Microstructural development in an aluminum alloy-SiC whisker composite
- H. P. Stüwe and O. Kolednik 1705 Shape instability of thin cylinders
- W. A. Spitzig and P. D. Krotz 1709 Comparison of the strengths and microstructures of Cu-20% Ta and Cu-20% Nb *in situ* composites
- Y. Limoge and J. L. Bocquet 1717 Monte Carlo simulation in diffusion studies: time scale problems
- R. Elst, J. Van Humbeeck and L. Delaey 1723 Evaluation of grain growth criteria in particle-containing materials
- P. K. Liaw and W. A. Logsdon 1731 Fatigue crack growth behavior in Inconel 706 at 297 K and 4.2 K
- G. T. Gray III 1745 Deformation twinning in Al-4.8 wt% Mg

- |                                                                     |      |                                                                                                   |
|---------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------|
| E. Batawi, M. A. Morris and D. G. Morris                            | 1755 | Rapid solidification and structural stability of copper-boron alloys                              |
| T. Kamijo, T. Furukawa and M. Watanabe                              | 1763 | Homogeneous nucleation of coherent precipitation in copper-chromium alloys                        |
| B. Verlinden and L. Delaey                                          | 1771 | On the elastic constants and $M_s$ -temperatures in $\beta$ -Hume-Rothery alloys                  |
| T. Sakai, M. Ohashi, K. Chiba and J. J. Jonas                       | 1781 | Recovery and recrystallization of polycrystalline nickel after hot working                        |
| T. B. Flanagan, A. P. Craft, R. Foley, Y. Sakamoto and S. Kishimoto | 1791 | Blocking of hydrogen-dislocation interactions in palladium by interstitial carbon (boron) solutes |
| V. Laurent, D. Chatain, C. Chatillon and N. Eustathopoulos          | 1797 | Wettability of monocrystalline alumina by aluminium between its melting point and 1273 K          |
| C. L. Briant                                                        | 1805 | Competitive grain boundary segregation in Fe-P-S and Fe-P-Sb alloys                               |
| N. Masahashi, T. Takasugi and O. Izumi                              | 1815 | Atomistic defect structures of $Ni_3Al$ containing C, B and Be                                    |
| N. Masahashi, T. Takasugi and O. Izumi                              | 1823 | Mechanical properties of $Ni_3Al$ containing C, B and Be                                          |
| M. Hashimoto and R. M. Latanision                                   | 1837 | Theoretical study of hydrogen transport during plastic deformation in iron                        |
| B. A. Senior, F. W. Noble and B. L. Eyre                            | 1855 | The effect of ageing on the ductility of 9Cr-1Mo steel                                            |
| A. R. Yavari                                                        | 1863 | On the structure of metallic glasses with double diffraction halos                                |

#### NUMBER 8

- |                                                              |      |                                                                                                                                                                                                                                            |
|--------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| J. Ortín and A. Planes                                       | 1873 | Overview No. 68: Thermodynamic analysis of thermal measurements in thermoelastic martensitic transformations                                                                                                                               |
| J. Dubois, T. Epicier, C. Esnouf, G. Fantozzi and P. Convert | 1891 | Overview No. 69: Neutron powder diffraction studies of transition metal hemicarbides $M_2C_{1-x}$ —I. Motivation for a study on $W_2C$ and $Mo_2C$ and experimental background for an <i>in situ</i> investigation at elevated temperature |
| T. Epicier, J. Dubois, C. Esnouf, G. Fantozzi and P. Convert | 1903 | Overview No. 69: Neutron powder diffraction studies of transition metal hemicarbides $M_2C_{1-x}$ —II. <i>In situ</i> high temperature study on $W_2C_{1-x}$ and $Mo_2C_{1-x}$                                                             |
| R. B. McLellan                                               | 1923 | The diffusivity of lattice atoms in dilute interstitial solid solutions                                                                                                                                                                    |

- |                                                                      |      |                                                                                                                                     |
|----------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------|
| P. C. Panda, J. Lagraff<br>and R. Raj                                | 1929 | Shear deformation and compaction of nickel aluminide<br>powders at elevated temperatures                                            |
| R. Trivedi and V. Laorchan                                           | 1941 | Crystallization from an amorphous matrix—I. Morpho-<br>logical studies                                                              |
| R. Trivedi and V. Laorchan                                           | 1951 | Crystallization from an amorphous matrix—II. Growth<br>kinetics                                                                     |
| G. R. Canova,<br>C. Fressengeas, A. Molinari<br>and U. F. Kocks      | 1961 | Effect of rate sensitivity on slip system activity and lattice<br>rotation                                                          |
| J. E. Morral, Yoon-Ho Son<br>and M. S. Thompson                      | 1971 | A model for the Kirkendall effect                                                                                                   |
| H. J. Leu, T. Hare<br>and R. O. Scattergood                          | 1977 | A computer simulation method for particle sintering                                                                                 |
| J. Bonneville, B. Escaig<br>and J. L. Martin                         | 1989 | A study of cross-slip activation parameters in pure copper                                                                          |
| M. Brede and P. Haasen                                               | 2003 | The brittle-to-ductile transition in doped silicon as a model<br>substance                                                          |
| M. D. Drory, M. D. Thouless<br>and A. G. Evans                       | 2019 | On the decohesion of residually stressed thin films                                                                                 |
| B. J. Dalgleish, M. C. Lu<br>and A. G. Evans                         | 2029 | The strength of ceramics bonded with metals                                                                                         |
| H. C. Cao, M. D. Thouless<br>and A. G. Evans                         | 2037 | Residual stresses and cracking in brittle solids bonded with<br>a thin ductile layer                                                |
| S. H. Lim, T. B. Flanagan<br>and W. A. Oates                         | 2047 | On the terminal solubility of hydrogen in Nb-V alloys                                                                               |
| D. S. Wilkinson                                                      | 2055 | The effect of a non uniform void distribution on grain<br>boundary void growth during creep                                         |
| S. K. Wu, A. G. Khachaturyan<br>and C. M. Wayman                     | 2065 | Superstructure of interstitial ordering of oxygen in TiNi<br>alloys                                                                 |
| Masaharu Kato,<br>Takayuki Kubo and T. Mori                          | 2071 | Epitaxial relationships between copper deposits and $\alpha$ -iron<br>substrates                                                    |
| T. S. Oh, J. Rödel,<br>R. M. Cannon<br>and R. O. Ritchie             | 2083 | Ceramic/metal interfacial crack growth: toughening by<br>controlled microcracks and interfacial geometries                          |
| M.-H. Wu, B. C. Muddle<br>and C. M. Wayman                           | 2095 | Analytical electron microscopy studies of the $\beta_2 \rightarrow \alpha_1$<br>("Bainite") transformation in a Ag-45 at.% Cd alloy |
| A. Sodergren and D. J. Lloyd                                         | 2107 | The influence of lithium on the ageing of a 7000 series alloy                                                                       |
| D. J. Srolovitz, G. S. Grest,<br>M. P. Anderson<br>and A. D. Rollett | 2115 | Computer simulation of recrystallization—II. Hetero-<br>geneous nucleation and growth                                               |

I. Ishida and M. Kiritani	2129	The $\gamma \rightarrow \alpha$ transformation mechanism of fine iron precipitates in copper base alloys
W. J. Clegg	2141	A stress analysis of the tensile deformation of metal-matrix composites
W. J. Clegg, I. Horsfall, J. F. Mason and L. Edwards	2151	The tensile deformation and fracture of Al-"Saffil" metal-matrix composites
C. S. Pande	2161	A statistical theory of grain growth
G. Malakondaiah, N. Prasad, G. Sundararajan and P. Rama Rao	2167	An analysis of the transient stage in low stress viscous creep
M. J. Mayo and W. D. Nix	2183	A micro-indentation study of superplasticity in Pb, Sn, and Sn-38 wt% Pb
G. M. Bond, I. M. Robertson and H. K. Birnbaum	2193	Effects of hydrogen on deformation and fracture processes in high-purity aluminum
H. J. Frost	2199	Grain boundary structure and the effect of boron in Ni <sub>3</sub> Al
M. J. Kaufman and J. L. Fink	2213	Evidence for localized ductile fracture in the "brittle" transgranular stress corrosion cracking of ductile f.c.c. alloys
C. L. White, C. T. Liu and R. A. Padgett Jr	2229	Free surface segregation in boron doped Ni <sub>3</sub> Al
A. Zunger, S.-H. Wei, A. A. Mbaye and L. G. Ferreira	2239	A novel viewpoint on the Cu-Au phase diagram: the interplay between fixed Ising energies and elastic effects
D. D. Perovic, G. C. Weatherly and W. A. Miller	2249	Influence of temperature and strain-rate on liquid metal embrittlement of an aluminum alloy containing bismuth inclusions
T. Kaji, J. Cadek and H. Oikawa	2259	Effect of a sudden temperature increase on creep of aluminum at high temperature
H. Numakura, M. Koiwa, H. Asano and F. Izumi	2267	Neutron diffraction study of the metastable $\gamma$ titanium deuteride
David L. Davidson	2275	Small and large fatigue cracks in aluminum alloys
W. C. Carter	2283	The forces and behavior of fluids constrained by solids
Gao Wei and B. Cantor	2293	The oxidation behaviour of amorphous and crystalline Fe <sub>78</sub> Si <sub>9</sub> B <sub>13</sub>
J. E. Bird and J. M. Carlson	2307	Progressive failure of surface microstructure during sample-scale shearing flow
K. G. Samuel, S. L. Mannan and P. Rodriguez	2323	Serrated yielding in AISI 316 stainless steel



- |                                                                |      |                                                                                                                      |
|----------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------|
| A. Amengual, F. Garcias,<br>F. Marco, C. Segui<br>and V. Torra | 2329 | Acoustic emission of the interface motion in the martensitic transformation of Cu-Zn-Al shape memory alloy           |
| Michael J. Aziz<br>and Theodore Kaplan                         | 2335 | Continuous growth model for interface motion during alloy solidification                                             |
| J. D. Ayers, P. G. Moore<br>and R. A. Masumura                 | 2349 | Crystallography of the $\zeta$ to $\beta'$ massive transformation in Ag-50 at.% Cd                                   |
| M. Dollar and I. M. Bernstein                                  | 2369 | The effect of hydrogen on deformation substructure, flow and fracture in a nickel-base single crystal superalloy     |
| A. V. Andreyeva,<br>A. F. Belyanin<br>and N. A. Bulyonkov      | 2377 | Structure factors of the formation of a new dense phase on dislocation boundaries in Mg <sub>2</sub> Si-based alloys |
| H. Selke and P. L. Ryder                                       | 2387 | Microstructure and crystallography of a rapidly quenched, eutectic Cu-P alloy                                        |

#### NUMBER 9

- |                                                                               |      |                                                                                                          |
|-------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------|
| R. K. Bordia and<br>G. W. Scherer                                             | 2393 | Overview No. 70: On constrained sintering—I. Constitutive model for a sintering body                     |
| R. K. Bordia and<br>G. W. Scherer                                             | 2399 | Overview No. 70: On constrained sintering—II. Comparison of constitutive models                          |
| R. K. Bordia and<br>G. W. Scherer                                             | 2411 | Overview No. 70: On constrained sintering—III. Rigid inclusions                                          |
| W. Pfeiler                                                                    | 2417 | Overview No. 71: Investigation of short-range order by electrical resistivity measurement                |
| S. V. Harren, H. E. Dève<br>and R. J. Asaro                                   | 2435 | Overview No. 72: Shear band formation in plane strain compression                                        |
| T.-S. Liu, R. J. Fields,<br>S. J. Fariborz, D. G. Harlow<br>and T. J. Delph   | 2481 | Experimental observations and analysis of creep cavitation in AISI type 304 stainless steel              |
| J. G. Antonopoulos,<br>Th. Karakostas,<br>Ph. Komninou and<br>P. Delavignette | 2493 | Dislocation movements and deformation twinning in zinc                                                   |
| C. L. Briant and J. L. Walter                                                 | 2503 | Void growth in tungsten wire                                                                             |
| A. Couret and D. Caillard                                                     | 2515 | Microscopic observations of glide in non close-packed planes in aluminium, and comparison with magnesium |
| Yeon-Wook Kim,<br>Hong-Ming Lin and<br>Thomas F. Kelly                        | 2525 | Solidification structures in submicron spheres of iron-nickel: experimental observations                 |

- |                                                        |      |                                                                                                                                                          |
|--------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hong-Ming Lin,<br>Yeon-Wook Kim and<br>Thomas F. Kelly | 2537 | Solidification structures in submicron spheres of iron-nickel: analytical evaluation                                                                     |
| A. Jagota and P. R. Dawson                             | 2551 | Micromechanical modeling of powder compacts—I. Unit problems for sintering and traction induced deformation                                              |
| A. Jagota and P. R. Dawson                             | 2563 | Micromechanical modeling of powder compacts—II. Truss formulation of discrete packings                                                                   |
| A. Korbel and P. Martin                                | 2575 | Microstructural events of macroscopic strain localization in prestrained tensile specimens                                                               |
| T. M. Mackey and T. F. Kelly                           | 2587 | Solute segregation behavior in rapidly solidified cellular structures                                                                                    |
| D.-R. Liu and L. M. Brown                              | 2597 | Characterization of palladium hydride films by electron energy loss spectroscopy and electron diffraction                                                |
| I. B. Kwon, M. E. Fine and<br>T. Mura                  | 2605 | Elastic strain energy analysis of the dislocation structures in fatigue                                                                                  |
| M. S. Kim, S. Hanada,<br>S. Watanabe and O. Izumi      | 2615 | Strength and fracture of single-crystalline $\text{Ni}_3(\text{Al}, \text{Ti})$ and $\text{Ni}_3(\text{Al}, \text{Ta})$ intermetallic compounds at 290 K |
| A. Abu Arab and M. Ahlers                              | 2627 | The stabilization of martensite in Cu-Zn-Al alloys                                                                                                       |

*Corrigendum*

i Overview No. 73

NUMBER 10

- |                                                       |      |                                                                                                                                           |
|-------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------|
| S. P. Lynch                                           | 2639 | Overview No. 74: Environmentally assisted cracking: overview of evidence for an adsorption-induced localised-slip process                 |
| G. Brian Stephenson                                   | 2663 | Overview No. 75: Deformation during interdiffusion                                                                                        |
| L. J. Perryman and<br>P. J. Goodhew                   | 2685 | A description of the migration and growth of cavities                                                                                     |
| D. A. Kessler and H. Levine                           | 2693 | Pattern selection in three dimensional dendritic growth                                                                                   |
| L. P. Kubin, K. Chihab<br>and Y. Estrin               | 2707 | The rate dependence of the Portevin-Le Chatelier effect                                                                                   |
| C. Hitzengerger,<br>H. P. Karnthaler and<br>A. Korner | 2719 | <i>In situ</i> TEM study of the h.c.p. to f.c.c. martensitic phase transformation in CoNi single crystals                                 |
| J. J. Kruisman, V. Vitek and<br>J. Th. M. De Hosson   | 2729 | Atomic structure of stoichiometric and non-stoichiometric grain boundaries in $\text{A}_3\text{B}$ compounds with $\text{L1}_2$ structure |
| P. N. Quested, P. J. Henderson<br>and M. McLean       | 2743 | Observations of deformation and fracture heterogeneities in a nickel-base superalloy using electron back scattering patterns              |

C. B. Carter	2753	$\Sigma = 99$ and $\Sigma = 41$ grain boundaries
C. L. Briant and A. I. Taub	2761	Grain boundary segregation of boron and sulfur and its effect on ductility in rapidly solidified Ni-base L1 <sub>2</sub> compounds
C. Servant and N. Bouzid	2771	Influence of the increasing content of Mo on the precipitation phenomena occurring during tempering in the maraging alloy Fe-12Mn-9Co-5Mo
A. Aubry, F. Armanet, G. Beranger, J. L. Lebrun and G. Maeder	2779	Measurement of residual stresses by X-ray diffraction in a Ni/NiO system obtained by high temperature oxidation
Y. Nakamura, H. Nakajima, S. Ishioka and M. Koiwa	2787	Effect of oxygen on diffusion of manganese in $\alpha$ -titanium
R. Grüne	2797	Decomposition of Ni-12 at.% Ti by atom-probe field-ion microscopy
Y. Iijima, K. Kimura and K. Hirano	2811	Self-diffusion and isotope effect in $\alpha$ -iron
D. H. Lassila and H. K. Birnbaum	2821	The effect of diffusive segregation on the fracture of hydrogen charged nickel
Fu-Sen Chen and A. H. King	2827	Misorientation effects upon diffusion induced grain boundary migration in the copper-zinc system
G. D. Köhlhoff, A. S. Malin, K. Lücke and M. Hatherly	2841	Microstructure and texture of rolled {112}<111> copper single crystals
K. T. Venkateswara Rao and R. O. Ritchie	2849	Mechanisms for the retardation of fatigue cracks following single tensile overloads: behavior in aluminium-lithium alloys
<i>Corrigendum</i>	i	

#### NUMBER 11

J. Hirsch and K. Lücke	2863	Overview No. 76: Mechanism of deformation and development of rolling textures in polycrystalline f.c.c. metals—I. Description of rolling texture development in homogeneous CuZn alloys
J. Hirsch and K. Lücke	2883	Overview No. 76: Mechanism of deformation and development of rolling textures in polycrystalline f.c.c. metals—II. Simulation and interpretation of experiments on the basis of Taylor-type theories
J. Hirsch, K. Lücke and M. Hatherly	2905	Overview No. 76: Mechanism of deformation and development of rolling textures in polycrystalline f.c.c. metals—III. The influence of slip inhomogeneities and twinning

- |                                                                         |      |                                                                                                                                       |
|-------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------|
| C. V. Thompson                                                          | 2929 | Coarsening of particles on a planar substrate: interface energy anisotropy and application to grain growth in thin films              |
| M. H. Yoo, J. A. Horton<br>and C. T. Liu                                | 2935 | Micromechanisms of yield and flow in ordered intermetallic alloys                                                                     |
| D. M. Dimiduk,<br>M. G. Mendiratta,<br>D. Banerjee<br>and H. A. Lipsitt | 2947 | A structural study of ordered precipitates in an ordered matrix within the Fe-Al-Nb system                                            |
| Y. Liu, T. Takasugi,<br>O. Izumi and T. Takahashi                       | 2959 | TEM investigation on dislocation dissociation and planar faults in deformed (Co, Ni) <sub>3</sub> Ti single crystal                   |
| M. S. Kim, S. Hanada,<br>S. Watanabe and O. Izumi                       | 2967 | Orientation dependence of deformation and fracture behavior in Ni <sub>3</sub> (Al, Ti) single crystals at 973 K                      |
| C. Jourdan, J. Gastaldi<br>and G. Grange                                | 2979 | Heterogeneous nucleation during the titanium $\alpha \rightleftharpoons \beta$ transformation studied by Synchrotron X-Ray Topography |
| Quan Zhongxian,<br>Ma Ruzhang, Ping Jueyun<br>and Chang Rugin           | 2989 | The precursor effect of the athermal $\beta \rightleftharpoons \omega$ transformation in Ti-9.62 Fe alloy                             |
| J. C. Huang<br>and A. J. Ardell                                         | 2995 | Addition rules and the contribution of $\delta'$ precipitates to strengthening of aged Al-Li-Cu alloys                                |
| Y. Takahashi, F. Ueno<br>and K. Nishiguchi                              | 3007 | A numerical analysis of the void-shrinkage process controlled by surface-diffusion                                                    |
| G. J. Leusink<br>and A. van den Beukel                                  | 3019 | Free volume and stress induced ordering in amorphous Fe <sub>40</sub> Ni <sub>40</sub> B <sub>20</sub>                                |
| D. F. Watt, L. Coon,<br>M. Bibby, J. Goldak<br>and C. Henwood           | 3029 | An algorithm for modelling microstructural development in weld heat-affected zones (Part A). Reaction kinetics                        |
| C. Henwood, M. Bibby,<br>J. Goldak and D. Watt                          | 3037 | Coupled transient heat transfer—microstructure weld computations (Part B)                                                             |
| P. Nash and R. B. Schwarz                                               | 3047 | Calculation of the glass forming range in binary metallic systems using thermodynamic models                                          |
| W. Kühlein and H. P. Stüwe                                              | 3055 | The influence of high hydrostatic pressure on recrystallization of $\alpha$ -brass                                                    |

#### NUMBER 12

- |                                                                    |      |                                                                                                              |
|--------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------|
| P. G. McCormick                                                    | 3061 | Theory of flow localisation due to dynamic strain ageing                                                     |
| C. F. Lo, H. Kamide,<br>G. J. Feng, W. E. Mayo<br>and S. Weissmann | 3069 | X-ray determination of stress-strain distribution in unnotched C-rings: a link from micro- to macromechanics |

L. S. Tóth, P. Gilormini and J. J. Jonas	3077	Effect of rate sensitivity on the stability of torsion textures
S. Chen and G. Gottstein	3093	Strain softening, grain boundary migration and dynamic recrystallization of Ni during high temperature low cycle fatigue
M. R. Fitzsimmons and S. L. Sass	3103	Quantitative X-ray diffraction study of the atomic structure of the $\Sigma = 5(\theta = 36.9^\circ)[001]$ twist boundary in gold
H. de Beurs, J. A. Hovius and J. Th. M. De Hosson	3123	Enhanced wear properties of steel: a combination of ion implantation metallurgy and laser metallurgy
M. D. Thouless	3131	Decohesion of films with axisymmetric geometries
R. Ramesh and G. Thomas	3137	Effect of quench rate on the intrinsic coercivity of iron-rare earth-boron permanent magnets
W. C. Johnson, M. B. Berkenpas and D. E. Laughlin	3149	Precipitate shape transitions during coarsening under uniaxial stress
R. M. Kruger, G. S. Was, J. F. Mansfield and J. R. Martin	3163	A quantitative model for the intergranular precipitation of $M_7X_3$ and $M_{23}X_6$ in Ni-16Cr-9Fe-C-B
M. Hillert	3177	Inhibition of grain growth by second-phase particles
A. Serra, D. J. Bacon and R. C. Pond	3183	The crystallography and core structure of twinning dislocations in h.c.p. metals
S. Chambréland, A. Walder and D. Blavette	3205	Early stages of precipitation of $\gamma'$ -phase in a nickel base superalloy: an atom-probe investigation
M. Yoshihara and R. B. McLellan	3217	Palladium-cerium-hydrogen solid solutions—I. Thermodynamic properties
M. Yoshihara and R. B. McLellan	3225	Palladium-cerium-hydrogen solid solutions—II. Kinetic properties
Z. Shen, R. H. Wagoner and W. A. T. Clark	3231	Dislocation and grain boundary interactions in metals
H. Yamane, K. Kimura and S. Takeuchi	3243	Production of Al-Mn(V) based multicomponent icosahedral quasicrystals